

STATE OF WEST VIRGINIA DEPARTMENT OF HEALTH AND HUMAN RESOURCES

Gaston Caperton Governor

February 17, 1994

RECEIVED
EB 2 5 94
OFFICE OF THE

Richard D. Niemeir, Ph. D.
Director
Department of Health and Human Services
Division of Standards Development and Technology Transfer
4676 Columbia Parkway
Cincinnati, Ohio 45266-1998

Dear Mr. Niemeier:

In response to your recent letter, please be advised that our agency has no reports or data on the contamination of workers' homes.

If this office can be of further assistance, please advise.

Sincerely,

William T. Wallace, Jr., M. D., M. P. H. Commissioner, Bureau of Public Health

DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Centers for Disease Control
National Institute for
Occupational Safety & Health
Robert A. Taft Laboratories
4676 Columbia Parkway
Cincinnati OH 45226-1998

January 10, 1994

Dear Sir/Madam:

The National Institute for Occupational Safety and Health (NIOSH) has recently published a Federal Register (FR) Notice (Enclosure 1) that requests information relevant to implementation of the Workers' Family Protection Act (29 USC 671a). The Act charges NIOSH with conducting a study of hazardous chemicals and substances, including infectious agents, that are carried home by the worker. The FR Notice describes the NIOSH responsibilities under the Act, including the development of a report that will describe the extent of the home contamination problem, the efficacy of actions taken to prevent home contamination, and the role of government agencies in responding to incidences of home contamination.

A previous FR Notice (Enclosure 2) was published on September 22, 1993, by NIOSH that solicits nominations for membership on the Workers' Family Protection Task Force. This task force, which is mandated by the Act, will review the report prepared by NIOSH and determine if additional research data are needed to fully address the problem of home contamination. If additional data are needed, the task force will develop a strategy to obtain this information.

To help prepare this report, please respond to the appropriate questions in Enclosure 1 and provide to NIOSH information (including laws or regulations), reports, or data on the contamination of workers' homes that are relevant to your agency or office. Please send these comments by February 14, 1994 to Ms. Diane Manning (NIOSH Mail Stop C-15). If you have any questions on this request, please call Mr. John Whalen at 513/533-8306.

Sincerely yours,

Richard W. Niemeier, Ph.D

Director

Division of Standards Development and Technology Transfer

Enclosures

GENERAL ACCOUNTING OFFICE

Federal Accounting Standards Advisory Board; Meeting Cancellation

AGENCY: General Accounting Office.
ACTION: Cancellation of November meeting.

SUMMARY: Pursuant to section 10(a)(2) of the Federal Advisory Committee Act (Pub. L. 92—463), as amended, notice is hereby given of cancellation of the November 18 meeting of the Federal Accounting Standards Advisory Board. Notice of the meeting was previously published in the Federal Register of November 8. It is currently anticipated that the December meeting will be held as scheduled. Due notice of it will be published at a later date in the Federal Register.

FOR FURTHER INFORMATION CONTACT: Ronald S. Young, Staff Director, 750 First Street NE., room 1001. Washington, DC 20002, or call (202) 512-7354.

Authority: Federal Advisory Committee Act. Pub. L. 92-463, Section 10(a)(2), 86 Stat. 770, 774 [1972] (current version at 5 U.S.C. app. section 10(a)(2) (1988)); 41 CFR 101-6.1015 (1990).

Dated: November 9, 1993.

Ronald S. Young,

Executive Director.

[FR Doc. 93-28001 Filed 11-12-93; 8:45 am]

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Centers for Disease Control and Prevention

Scientific Review of Draft Current Intelligence Bulletin on the Carcinogenic Potential of Occupational Exposure to Asphalt Products; Meeting

The National Institute for Occupational Safety and Health (NIOSH) of the Centers for Disease Control and Prevention (CDC) announces the following meeting.

Name: Scientific Review of Draft Current Intelligence Bulletin on the Carcinogenic Potential of Occupational Exposure to Asphalt Products.

Times and Dates: 9 a.m.-5:30 p.m., December 1, 1993; 8 a.m.-12 noon, December 2, 1993.

Place: Robert A. Taft Laboratories, Auditorium, NIOSH, CDC, 4676 Columbia Parkway, Cincinnati, Ohio 45226.

Smms: Open to the public, limited only by the space available.

Purpose: The purpose is to review and discuss the draft of Current Intelligence

Bulletin, "Carcinogenic Potential of Occupational Exposure to Asphalt Products." with a panel of invited participants selected by NIOSH for their expertise and background in this area. The scientific review will provide NIOSH with individual input and opinion from experts outside the Institute prior to finalizing the Current Intelligence Bulletin for publication and transmittal to the Department of Labor. The review will focus on the health effects related to occupational exposures to asphalt products and on data from carcinogenicity studies in animals. Viewpoints and suggestions from industry, labor, academia, other government agencies, and the public are invited.

Contact persons for additional information: General Information may be obtained from Pam Graydon, NIOSH, CDC, 4676 Columbia Parkway, Mailstop C-30, Cincinnati, Ohio 45226, telephone 513/533-8312.

Technical information may be obtained from Crystal Ellison NIOSH, CDC 4676 Columbia Parkway, Mailstop C-31, Cincinnati, Ohio 45226, telephone 513/533-6331.

Dated: November 8, 1993.

Elvin Hilyer,

Associate Director for Policy Coordination, Centers for Disease Control and Prevention (CDC).

IFR Doc. 93-27949 Filed 11-12-93; 8:45 am]

Control of Chemical Exposures and Ergonole Risk Fectors in Commercial Dry Cleaners; Meeting

The National Institute for Occupational Safety and Health (NIOSH) of the Centers for Disease Control and Prevention (CDC) announces the following meeting.

Name: Control of Chemical Exposures and Ergonomic Risk Factors in Commercial Dry Cleanders.

time and Date: 1 p.m.—5 p.m., December 8, 1993.

Place: Alice Hamilton Laboratory, Conference Room C, NIOSH, CDC, 5555 Ridge Avenue, Cincinneti, Ohio 45213.

Status: Open to the public, limited only by the space available.

Purpose: The purpose of this meeting is to review the protocol for a proposed NIOSH study entitled "Control of Chemical Exposures and Ergonomic Risk Factors in Commercial Dry Cleaners." This study would evaluate perchloroethylene exposures associated with the use of various dry cleaning control technologies. It would also evaluate chemical exposures during the spotting process and ergonomic risk factors during pressing. The goal of this study is to identify technologies effective in reducing these hazards to the dry cleaning worker. Viewpoints and suggestions from industry, labor, academia, other government agencies, and the public are invited.

Contact Person For Additional Information: Gary S. Earnest, NIOSH, CDC, 4676 Columbia Parkway, Mailstop R-5, Cincinnati, Ohio 45226, telephone 513/841-4370.

Dated: November 8, 1993.

Elvin Hilyer.

information.

Associate Director for Policy Coordination Centers for Disease Control and Prevention (CDC).

[FR Doc. 93-27948 Filed 11-12-93; 8:45 am]

National Institute for Occupational
Safety and Health; Request for
Existing Information Relevant to
Implementing the Workers' Family
Protection Act

AGENCY: National Institute for Occupational Safety and Health (NIOSH), Centers for Disease Control and Prevention (CDC), Public Health Service (PHS), Department of Health and Human Services (DHHS).

ACTION: Notice of request for existing

SUMMARY: NIOSH is requesting existing information on the contamination of workers' homes by hazardous chemicals and substances transported from the workplace on equipment, clothing, or the worker's person. This information would include existing reports of incidents resulting in familial poisonings or illnesses, methods of preventing and remediating such incidents, relevant statutes and regulations to prevent such incidents, and past investigations, enforcement actions, and the role of governmental agencies in preventing and responding to such incidents.

DATES: Information in response to this notice should be submitted by February 14, 1994.

ADDRESSES: Please submit two copies of any information to Diane Manning, Docket Office Manager, Division of Standards Development and Technology Transfer, NIOSH, 4676 Columbia Parkway, C-34, Cincinnati, Ohio 45226. FOR FURTHER INFORMATION CONTACT: Dr. Steven Galson, Division of Standards Development and Technology Transfer, NIOSH, 4676 Columbia Parkway, C-14, Cincinnati, Ohio 45226, telephone 513/533-8302.

SUPPLEMENTARY INFORMATION: The Workers' Family Protection Act (29 U.S.C. 671a), hereafter referred to as "the Act," was enacted on October 26, 1992, as section 209 of Public Law 102–522, the "Fire Administration Authorization Act of 1992." The purpose of the Act is to protect the health of workers and their families from hazardous chemicals and substances, including infectious agents, transported from the workplace to the

3-

Finley EL, Bellon JM, Graves JB, Knonce KL [1977]. Pesticide contamination of clothing in cotton fields. Louisiana Agricul 20(3):8-9.

LOUI DOG LOUD

- Fulton WB, Matthews JL [1936]. A preliminary report of the dermatulogical and systemic effects of exposure to hexachloro-naphthalene and chlorodiphenyl, Special Bulletin No. 43 Harrisburg, PA: Bureau of Industrial Standards.
- Canelin RS, Mail GA, Cueto C Jr [1964]. Hazards of equipment contaminated with parathion. Arch Environ Health 8:826 828.
- Garrettson LK [1988]. Childhood lead poisoning in radiator mechanics' children. Vet Human Toxicol 30(2):112.
- Good CK, Fensky N [1943], Halowax acne ("cable resh"). Arch Dermatol Syphilol 48:251-257.
- Hardy HL [1945]. Delayed chemical pneumonitis in workers exposed to beryllium compounds. I lad Hyg Toxicol 28:547-556.
- Hardy HL, Rabe EW, Lorch S [1967]. U.S. beryllium case registry (1952-1956).] Occup Med 9:271-276.
- Hild DN, Laughlin JM, Gold RE [1989]. Laundry parameters as factors in lowering methyl parathion residues in cotton/polyester fabrics. Arch Environ Contem Toxicol 18:908-914. Hudson PJ, Vogt RL, Brondum J, Witherell L.
- Myers G, Paschal DC [1987]. Elemental mercury exposure among children of thermometer plant workers. Pediatrics 79(6):935-938.
- Jeusen NE. Speddon IB, Walker AE [1972]. Chloracne: three cases. Proc Royal Soc Med 65(3):687-888.
- Kelly B [1977]. Allied chemical kept that kepone flowing. Business and Society Review No. 2 Spring 1977:17-22.
- Kim CJ [1989]. Effects of convection-oven and microwave-oven drying on removal of alechlor-residues in a fabric structure. Bull Environ Contam Toxicol 43:904 -
- Kim CJ, Stone JF, Coats JR; Kadolph SJ [1986]. Removal of slachlor residues from contaminated clothing fabrics. Bull' Environ Contam Toxicol 36:234-241,
- Kim CJ. Stone JF. Sizer CE [1982]. Removal of pesticide residues as affected by laundering variables, Bull Environ Contam Toxical 29:95-100.
- Krousel T. Garcas N. Rothschild H [1986]. Familial clustering of mesothelioma: a report on three affected persons in one family. Am J Prevent Med 2(4):186-188.
- Laughlin J. Gold RE [1989]. Evaporative dissipation of methyl parethion from laundered protective apperel fabrics. Bull Environ Contam Toxicol 42:566-
- Laughlin J. Gold RE [1989]. Methyl parathion redisposition during laundering of functionally finished protective apparel fabrics. Bull Environ Contam Toxicol 42:691-698.
- Laughlin JM, Easley CB, Gold RE, Tupy DR [1981]. Methyl parathion transfer from contaminated fabrics to subsequent laundry and to laundry equipment. Bull Environ Contam Toxicol 29:518-523.

- Li FP, Lokich J, Lapey J. Neptune WH, Wilkins EW Jr [1978]. Familial mesothelioms after intense asbestos exposure at home. JAMA 240(5):467.
- Lieben J. Pistawka H [1967]. Mesothelioma and asbestos exposure. Arch Environ . Health 14:559-563.
- Lieben J, Williams RR [1969], Respiratory disease associated with beryllium refining and alloy fabrication. J Occup Med 11:480-485.
- Lillie TH, Hampson RE, Nishioka YA, Hamilton MA [1982]. Effectiveness of detergents and detergent plus bleach for decontaminating pesticide applicator clothing, Bull Environ Contam Toxicol 29:89 94.
- Lowengart RA, Peters JM, Cicioni C. Buckley J. Bernstein L. Preston-Martin S Rappeport E [1987], Childhood leukemia and parents' occupational and home exposures. JNCI 79(1):39-45.
- Lundquist M (1980). Surviving the lead standard is. Protecting workers' families. Battery Man 22(11):27-28.
- Masek V, Jack Z. Kandus J [1972]. Content of 3.4-benzo(a)pyrene in the working clothing and underwear of workers at a pitch coking plant. J Occup Med 14(7):548-551.
- Milar CR, Mushak P [1982]. Lead contaminated house dust; hazard, measurement and decontamination. In: Chisolm JJ Jr. O'Hara DM, eds. Lead absorption in children. Baltimore: Urban and Schwarzenberg. pp 143-152.
- MMWR [1977], increased lead absorption in children of lead workers-Vermont. Morbidity and Mortality Weekly Report 1977(25):61-62.
- MMWR [1976]. Lead poisoning-Tennessee. Marbidity and Mortality Weekly Report 25(11):85.
- Newhouse ML, Thompson H [1965]. Mesothelioms of pleurs and peritoneum following exposure to asbestos in the London area. Brit J Ind Med 22:261-269.
- Peters JM. Preston-Martin S [1984]. Childhood tumors and parental exposures. Teratogen Carcinogen Mutagen 4:137-148.
- Prica HA, Welch RL [1972]. Occurrence of polychlorinated biphenyls in humans. Environ Health Perspect 1:73-78.
- Rice C, Fischbein A, Lilis R, Sarkozi L, Kin S. Selikoff if [1978]. Lead contamination in the homes of employees of secondary lead smelters, Environ Research 15:375
- Stone JF, Stahr HM [1989]. Pesticide residues in clothing. Case study of a midwestern farmer's coverall contamination. J Environ Health 51(5):273-278
- Taylor JR, Selhorst JB, Houff SA, Martinez JA [1978]. Chlordecane intoxication in man Clinical observations. Neurology 28:626-630.
- Trost C [1985]. Mercury exposure of workers ignites Vermont controversy. Des Moines, lowa: Wall Street | 65(240 September 24).
- Versen RA, Bunn WB III [1989]. Evaluating the exposure levels incurred while laundering crystalline silica containing work clothing. Am Ind Hyg Assoc J 50(4)-A241-Ā242.

- Vianna J. Polan Ak [1978]. Non-occupational exposure to asbestos and malignant mesothelioma in women: Lancet 1(8073):1061-1063.
- Warren MC, Conrad JP Jr, Bocian JJ, Hayes M [1963]. Clothing borns spidemic organic phosphate poisoning in children. JAMA 184:266-268.
- Watson WN. Witherell LE, Giguere GC [1978]. Increased lead absorption in children of workers in a lead storage battery plant. J Occup Med 20:759-761.
- Winegar DA, Levy BS, Andrews JS Jr. Landrigan PJ, Scruton WS, Krause MJ [1977], Chronic occupational exposure to lead: an evaluation of the health of smalter workers. J Occup Med 19(9):603-606.
- Wolfe HR, Durham WT, Walker KC [1961]. Health hazards of discarded pesticide containers. Arch Environ Health 3:531-
- Zirschky J. Withereil LE [1985]. Cleanup of mercury contamination of thermometer workers' homes. Am Ind Hyg Assoc J 48.81-84.
- Zirschky I, Witherell L [1987]. Cleanup of mercury contamination of thermometer workers' homes. Am Ind Hyg Assoc J

[FR Doc. 93-27947 Filed 11-12-93; 8:45 am]. BILLING CODE 4169-19-P

Health Care Financing Administration

Public Information Collection Requirements Submitted to the Office of Management and Budget (OMB) for Clearance

AGENCY: Health Care Financing Administration, HHS.

The Health Care Financing Administration (HCFA); Department of Health and Human Services, has submitted to OMB the following proposals for the collection of information in compliance with the Paperwork Reduction Act (Pub. L. 96-511).

 Type of Request: Extension; Title of Information Collection: Establishing Procedures for Transmitting Information Between Medicare Carriers and Medicare Supplemental Insurers; Form No.: HCFA-R-140; Use: These procedures provide for the transfer of claims information from a Medicare carrier to a Medicare supplemental (Medigap) insurer when a beneficiary has assigned his/her right of payment under the Medigap policy to a participating physician or supplier in order to speed payment of Medigap benefits to participating physicians and suppliers. Medigap insurers are required to issue, to beneficiaries, insurance enrollment cards and notification of claims payment determinations. They are also required to report to the Secretary a single mailing address to

home on equipment, clothing, or the worker's person. The specific objectives of the Act are the following:

(1) To increase understanding and awareness of the extent and impact on health of hazardous chemicals and substances transported from the workplace to the home:

(2) To prevent or mitigate future incidents of home contamination that could adversely affect the health and safety of workers and their families;

(3) To clarify regulatory authority for preventing and responding to incidents of home contamination; and

(4) To assist workers in redressing and

responding to incidents.

Under the Act. NIOSH is mandated to conduct a study to evaluate the problem of contamination of workers' homes by hazardous chemicals and substances transported from the workplace. The study is to include review of past incidents of home contamination, actions taken by governmental agencies in response to such incidents, the roles and practices of governmental agencies and NIOSH study, and an analysis of relevant statutes, regulations, and voluntary measures. In addition to , requesting existing information on these matters, NIOSH is also requesting existing information on incidents of home contamination and family illness or poisoning in situations where the workplace and home located together. such as farms and certain small businesses. NIOSH is requesting both published reports, including studies. case histories, voluntary guidance, statutes, and regulations, and unpublished reports including accounts: from physicians, poison control centers. industry management, labor unions, and other parties. Existing information is specifically requested on the following:

- 1. Measurements of home contamination or incidents of familial poisoning or illness due to contamination of the home by hazardous chemicals or substances transported to the home from the workplace on the equipment (including vehicles), clothing, or a worker's person.
- 2. Any measurements of home contamination or incidents of familial poisoning or illness resulting from hazardous chemicals or substances due to the proximity of the workplace and the home, such as farms or other businesses with attached living quarters.
- 3. Reports of Federal, state or local government actions to either enforce statutes or regulations or provide assistance in incidents of familial poisoning or illness due to hazardous chemicals or substances transported home from the workplace, or due to the

proximate nature of the home and workplace.

- 4. Measures used by employers to prevent or remedy home contamination, including statutory, regulatory, or voluntary industrial hygiene measures. (Please specify the approximate number of workers employed by the business establishment.).
- Effectiveness of industrial hygiene practices in the workplace, such as housekeeping practices and the use of personal protective equipment, in preventing home contamination.
- Effectiveness of normal house cleaning and laundry procedures in removing hazardous materials and agents from workers' homes, personal clothing and equipment (including vehicles).
- 7. Information on indoor air quality research that pertains to the fate of chemicals transported from a workplace into the home environment.
- Information on any of the above items that penains specifically to firefighters.

NIOSH presently has copies of the references listed at the end of this request for existing information.

Information received in response to this notice (except that designated trade secret and protected under Section 15 of the Occupational Safety and Health Act of 1970 [29 U.S.C. 664], or that exempt from disclosure under the Freedom of Information Act (5 U.S.C. 5522) or the Privacy Act (5 U.S.C. 552a) will be available for public examination and copying at the above address.

Dated: November 5, 1993.

Diane D. Porter.

Acting Director, National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention (CDC).

References

- Anderson LS, Warner DL, Parker JE, Bluman N, Page BD 1965l, Parathion poisoning from flannelette sheets. Can Med Assoc J 92:809-813.
- Anderson HA, Lilis R, Daum SM, Fischbein AS, Selikoff IH (1976), Householdcontact asbestos neoplastic risk. Ann New York Acad Sci 271:311–323.

Arundel SF. Kinnier-Wilson LM [1986].
Parental occupations and cancer: a
review of the literature. J Epidemiol
Commun Health 40:30–46.

- Baker EL, Folland DS, Frank M, Lovejoy G, Houswort J, Landrigan PJ (1977). Lead poisoning in children of lead workers: home contamination and industrial dust. N Engl J Med 296:260–261.
- Bellin JS [1981]. Don't take your "work" home with you. Occup Health Safety June 1981:39—42.

- Bohne J. Jr., Cohen BS [1985]. Aerosol resuspension from fabric: implications for personal monitoring in the beryllium industry. Am Ind Hyg Assoc J 48(2):73—70.
- Cannon SB, Veazey JM Jr. Jackson RS, Burse VW, Hayes C, Straub WE, Landrigan PJ, Liddle JA [1978]. Epidemic of kepone poisoning in chemical workers. Am I Epidemiol 107(8):529–537.

Chamberlin GW. Jennings WP, Lieben J [1957]. Chronic pulmonary disease associated with beryllium dust. Pennsylvania Med J 497-503.

Champion P [1971]. Two cases of malignant mesothelioms after exposure to asbestos. Am Rev Resp Dis 103(6):821-826.

Chesner C (1950). Chronic pulmonary granulomatosis in residents of a community near a beryllium plant. Ann Int Med 32:1029–1048.

Chiao-Cheng JH, Reagan BM, Bresse RR, Melcan CE, Kadoum AM [1988]. Carbamate insecticide removal in laundering from cotton and polyester fabrics. Arch Environ Contam Toxicol 17:87-94.

Clifford NJ, Nies AS [1989].

Organophosphate poisoning from wearing a laundered uniform previously contaminated with parathion. JAMA 262(21):3035–3036.

Cohen B, Positano R [1986]. Resuspension of dust from work clothing as a source of inhalation exposure. Am Ind Hyg Assoc 1 47(5):255-258.

Dolcourt JL. Finch C. Coleman GD, Klimas AJ, Milar CR [1981], Hazard of lead exposure in the home from recycled automobile storage batteries. Pediatrics '68(2):225-230.

Dolcourt JL, Hamrick HJ, O'Taums LA, Wooten J, Beker EL [1978]. Increased lead burden in children of bettery workers: asymptomatic exposure resulting from contaminated clothing. Pediatrics 62:563-566.

Easiey CB, Laughlin JM, Gold RE, Hill RM [1982]. Laundry factors influencing methyl parathion removal from contaminated denim fabric. Bull Environ Contam Toxicol 29:461–468.

Easley CB, Laughlin JM, Gold RE, Tupy D [1983]. Laundering procedures for removal of 2.4-dichlorophynoxyacetic acid ester and amine herbicides from contaminated fabrics. Arch Environ Toxicol Contam 12(1):71-76.

Eisenbud M, Wanta RC, Dustan C, Steadman LT, Harris WB, Wolf BS (1949). Nonoccupational berylliosis. J Ind Hyg Toxicol 31(5):282–294.

Eitzman DV, Wolfson SL [1967]. Acute parathion poisoning in children. AJDC 114:3997—400.

Epler GR, FirzGerald MX, Gaensler EA, Carrington CB [1980]. Asbestos-related disease from household exposure. Respiration 39:229–240.

Falk H, Herbert JT, Edmonds L, Heath CW Jr.
Thomas LB, Popper H (1981). Review of
four cases of childhood hepatic
angiosaccoma—elevated environmental
arsenic exposure in one case. Cancer
47:382-391.

organizations of other topics for development of clinical practices guidelines with AHCPR support.

Nominations of topics must include the specific topic recommended and a statement on the rationale for the recommendation that addresses AHCPR's criteria described in this notice. If organizations or individuals are interested in supporting the development and dissemination of the guidelines proposed, an expression of that interest also is requested.

The nominations received will be reviewed by AHCPR's Office of the Forum/for Quality and Effectiveness in Health Care. The Forum will initiate the topic selection process and topics will be approved, as described above.

To be considered, nominations of clinical practice guidelines and supporting documentation must be received by November 72, 1993, at the following address: Kathleen A. McCormick, Ph.D., R.M., Director, Office of the Forum for Quality and Effectiveness in Health Care, Agency for Health Care Policy and Research, Willco Building, 6000 Executive Boulevard, suite 310, Rockville, Maryland 20852.

FOR ADDITIONAL INFORMATION: Additional information on the guideline development process is contained in the AHCPR Fact Sheet "AHCPR Supported Clinical Practice Guidelines," dated April 1993. More detailed information on the guideline process and criteria for selecting panels is contained in the AHCPR Program Note "Clinical Guideline Development," dated August 1993. These documents may be obtained from the AHCPR Publications Clearinghouse, P.O. Box 8457 Silver Spring, MD 20907; or call Told Free: 1—800—358—9295.

For further information of the process of developing guidelines of the selection of guideline topics, contact Kathleen A. McGormick, Ph.D., R.N., Director, Office of the Forum for Quality and Effectiveness in Health Care, AHCPR, at the above address.

Dated: September 15, 1993.

J. Jarrett Clinton, Administrator.

[FR Doc. 93-23180 Filed 9-21-93; 8:45 am]

Centers for Disease Control and Prevention

National Institute for Occupational Safety and Health (NIOSH), Centers for Disease Control and Prevention (CDC): Request for Nominations of Candidates

SUPPLEMENTARY INFORMATION: The "Workers' Family Protection Act" (29 U.S.C. 671a), hereafter, referred to as "the Act," was enacted on October 26, 1992, as section 209 of Public Law 102-522, the "Fire Administration Authorization Act of 1992." The purpose of the Act is to protect the health of workers and their families from hazardous chemicals and substances, including infactious agents. transported from the workplace to the home on equipment, clothing, or the worker's person. Under the Act, NIOSH . is to conduct a study to evaluate the prevalence of contamination in workers' homes with hezardous chemicals and substances, including infectious agents, transported from the workplace. NIOSH is also to evaluate the potential for such contamination occurring and to evaluate other issues relating to protecting the family from transported hazardous chemicals and substances, including infectious agents. NIOSH activities, as mandated under the Act, will include the following: (1) Evaluating the scientific literature and records of past investigations performed by NIOSH, OSHA, and other governmental agencies; (2) evaluating current industrial hygiene and other control measures in use by small, medium, and large industries to prevent or remediate home contamination; (3) compiling a summary of existing research and a summary of case histories; and (4) identifying the role of governmental agencies in responding to incidents of home contamination. The summaries of existing research and case histories will address the effectiveness of workplace housekeeping and personal protective equipment, the health effects of exposure through take-home contamination, the effectiveness of normal housekeeping and laundry procedures for preventing or remediating contamination, the literature on indoor air quality as it applies to the fate of chemicals transported into the home, and methods of differentiating between take-home toxins and confounding environmental

NIOSH is mandated under the Act to establish a working group, to be known as the Workers' Family Protection Task Force. This task force will review the report prepared by NIOSH and determine if additional data are needed. If additional data are needed, the task force will develop an investigative strategy for obtaining additional information. This investigative strategy will: (1) Identify data gaps that can and cannot be filled; (2) identify assumptions and uncertainties associated with various components of the strategy; (3) specify a timetable for implementation of the strategy; and (4) describe the methodologies to be used to gether the required data.

The Director of NIOSH will publish the investigative strategy developed by the task force and invite public comments. The Director of NIOSH will also use other techniques to obtain comments on the investigative strategy, including technical conferences or seminars.

NIOSH is soliciting nominations for membership on the proposed Workers' Family Protection Task Force. The task force will review a report on contamination of workers' homes by hazardous chemicals and materials, including infectious agents, carried home from the workplace, and develop an investigative strategy for obtaining additional data. The task force will be composed of no more than 15 individuals representing workers. industry, scientists, industrial hygienists, the National Research Council; and government agencies. Workers and industry shall have an equal number of representatives, and there will be no more than one member from any one government agency.

Close attention will be given to minority and female representation; therefore, nominations from these groups are encouraged.

The following information is requested: name, affiliation, address, telephone number, and a current curriculum vitae. Nominations should be sent, in writing, and postmarked by October 15, 1993, to: Steven Galson, M.D., M.P.H., Division of Standards Development and Technology Transfer, NIOSH, CDC, 4676 Columbia Parkway. C-14, Cincinnati, Ohio 45226, 513/533-8302. Telephone or facsimile submissions cannot be accepted.

Dated: September 16, 1993.

Elvin Hilyer,

Associate Director for Policy Coordination, Centers for Disease Control and Prevention (CDC).

[FR Doc. 93-23167 Filed 9-21-93; 8:45 am]